

## Technical Specifications Stacker Unit RA 894-030 – with lockable cassette

Adds secure exchangeable cassette for RS 891 and RS 893.



RS 891 & RA 894-030  
Single Feed System



RC 894-1030  
Lockable Cassette

[www.reiner.de](http://www.reiner.de)

**Ernst Reiner GmbH & Co. KG**  
Baumannstr. 16  
78120 Furtwangen/Germany  
Phone: +49 7723 657-0  
Fax: +49 7723 657-200  
Email: [reiner@reiner.de](mailto:reiner@reiner.de)  
[www.reiner.de](http://www.reiner.de)

### Document Specifications:

- Height: 70 mm to 112 mm
- Length: 127 mm to 220 mm
- Weight: 70 to 120 g/m<sup>2</sup>
- Thickness: 0.07 mm to 0.15 mm

Optional: additional paper specifications on demand!

### Performance:

- Between 3 - 5 s/doc (depending on the application process)

### Transport Control Monitoring:

- Using photo sensors

### Environmental Conditions:

- In operation:
  - Temperature: +10 °C to +40 °C
  - Humidity: 30 % to 70 %
- In store or during transportation (condensation free, foil-sealed, with desiccant/max 20 h):
  - Temperature: -40 °C to +70 °C
  - Humidity: 10 % to 90 %

### Dimensions Cassette only (W x D x H):

- 1.000 docs cassette: 150 mm x 295 mm x 260 mm
- 2.000 docs cassette: 150 mm x 295 mm x 420 mm

### Weight Cassette only:

- Empty cassette for 1.000 documents: approx. 3.6 kg
- Empty cassette for 2.000 documents: approx. 4.7 kg

### Dimensions RS 891 & RA 894-030 (W x D x H):

- With 1.000 docs cassette: 165 mm x 375 mm x 530 mm
- With 2.000 docs cassette: 165 mm x 375 mm x 690 mm
- For mechanical integration in combination with RS 893 + RR 895 required width: 175 mm (with either cassette)

### Weight RS 891 & RA 894-030:

- With empty cassette for 1.000 documents: approx. 15.9 kg
- With empty cassette for 2.000 documents: approx. 17 kg

### Colour:

- Black

### Power and Control:

- Provided by the scanner RS 891 or the bundle scanner RS 893

### Approvals:

Conforms to:

- EMC-Guideline 2004/108/EG
- Low-voltage guideline 2006/95/EG
- Type-approved according to: EN60950-1:2006+A11:2009+A1:2010 +A12:2011
- cCSAUSA according to: CSA 60950-1-07, 2nd Edition
- UL 60950-1, 2nd Edition
- FCC Part 15